



WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For drfabian.co.il | Verdict: **Compliant**

This audit evaluates the adherence level of **drfabian.co.il** as of Tue Jul 04 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	14	1	93%

### Successful Elements

```
<a class="pojo-a11y-toolbar-link pojo-a11y-toolbar-toggle-link" href="jav
ascript:void(0);" title="????? ??" role="link" > <span class="pojo-sr-o
nly sr-only">????? ???? ???</span> <svg xmlns="http://www.w3.org/2000/sv
g" viewBox="0 0 100 1...
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu" role
="link" id="sm-1688476465953869-1" aria-haspopup="true" aria-controls="sm
-1688476465953869-2" aria-expanded="false" >????? '?????<span class="sub-a
rrow"><i class="fas fa-caret-do...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="b
utton" tabindex="0" aria-label="????? ?????" aria-disabled="false" > <i
aria-hidden="true" class="eicon-chevron-left"></i> </div>
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="b
utton" tabindex="0" aria-label="????? ?????" aria-disabled="false" > <i a
ria-hidden="true" class="eicon-chevron-right"></i> </div>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="0" aria-label
="Go to slide 1" role="button" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" da
ta-bullet-index="1" aria-label="Go to slide 2" role="button" tabindex="0"
></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="2" aria-label
="Go to slide 3" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="3" aria-label
="Go to slide 4" role="button" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 2" ></span>
```

## Failed Elements

```
<div class="elementor-search-form__toggle" > <i aria-hidden="true" class="fas fa-search"></i> <span class="elementor-screen-only">????</span> </div>
```

- 2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

15

0

100%

## Successful Elements

```
<a class="pojo-a11y-toolbar-link pojo-a11y-toolbar-toggle-link" href="javascript:void(0);" title="???? ??" role="link" > <span class="pojo-screen-only sr-only">???? ?? ?</span> <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 100 100"></svg>
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu" role="link" id="sm-1688476465953869-1" aria-haspopup="true" aria-controls="sm-1688476465953869-2" aria-expanded="false" >???? '???'<span class="sub-arrow"><i class="fas fa-caret-down"></i>
```

```
<div class="elementor-search-form__toggle" > <i aria-hidden="true" class="fas fa-search"></i> <span class="elementor-screen-only">????</span> </div>
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="button" tabindex="0" aria-label="???? ??" aria-disabled="false" > <i aria-hidden="true" class="eicon-chevron-left"></i> </div>
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" tabindex="0" aria-label="???? ??" aria-disabled="false" > <i aria-hidden="true" class="eicon-chevron-right"></i> </div>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="0" aria-label="Go to slide 1" role="button" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bullet-index="1" aria-label="Go to slide 2" role="button" tabindex="0" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="2" aria-label="Go to slide 3" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="3" aria-label="Go to slide 4" role="button" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bullet-index="0" role="button" aria-label="Go to slide 1" ></span>
```

3	Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.	No	0	0	-
4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	No	0	0	-
5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%

### Successful Elements

```
<h1 class="elementor-heading-title elementor-size-default">?? ???? '???'  
????? ? <br> ?? ? ???? ???? ????</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	17	0	100%
---	---	-----	----	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	Fail	-	-
---	--	----	------	---	---

### Failed Elements

```
<span class="elementor-heading-title elementor-size-default">???? ?????:</span>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100%
---	--	-----	------	---	------

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	8	4	67%
---	---	-----	---	---	-----

### Successful Elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="button" tabindex="0" aria-label="???? ??" aria-disabled="false" > <i aria-hidden="true" class="eicon-chevron-left"></i> </div>
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" tabindex="0" aria-label="??? ??" aria-disabled="false" > <i aria-hidden="true" class="eicon-chevron-right"></i> </div>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bullet-index="1" aria-label="Go to slide 2" role="button" tabindex="0"></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 2" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 3" ></span>
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev swiper-button-disabled" tabindex="0" role="button" aria-label="Previous slide" aria-disabled="true" > <i aria-hidden="true" class="eicon-chevron-right"></i> <span class="el...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" tabindex="0" role="button" aria-label="Next slide" aria-disabled="false" > <i aria-hidden="true" class="eicon-chevron-left"></i> <span class="elementor-screen-only">??</span></div>
```

## Failed Elements

```
<div class="elementor-search-form__toggle" > <i aria-hidden="true" class="fas fa-search"></i> <span class="elementor-screen-only">??</span> </div>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="0" aria-label="Go to slide 1" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="2" aria-label="Go to slide 3" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="3" aria-label="Go to slide 4" role="button" ></span>
```

10 [Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.](#)

Yes

Pass

-

100%



```
<nav migration_allowed="1" migrated="0" role="navigation" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-none"> <ul id="menu-1-10d581" class="elementor-nav-menu" data-smartmenus-id="...
```

16 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". Yes 2 0 100%

### Successful Elements

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu" role="link" id="sm-1688476465953869-1" aria-haspopup="true" aria-controls="sm-1688476465953869-2" aria-expanded="false" >? ? ? ? ? ' ? ? ? ? ? <span class="sub-arrow"><i class="fas fa-caret-do...
```

```
<a href="https://drfabian.co.il/%d7%92%d7%99%d7%93%d7%95%d7%9c%d7%99-%d7%a2%d7%99%d7%a0%d7%99%d7%99%d7%9d/" class="elementor-item has-submenu" role="link" id="sm-1688476465953869-3" aria-haspopup="true" aria-controls="sm-1688476465953869-4" aria-expa...
```

17 Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown. Yes 2 0 100%

### Successful Elements

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu" role="link" id="sm-1688476465953869-1" aria-haspopup="true" aria-controls="sm-1688476465953869-2" aria-expanded="false" >? ? ? ? ? ' ? ? ? ? ? <span class="sub-arrow"><i class="fas fa-caret-do...
```

```
<a href="https://drfabian.co.il/%d7%92%d7%99%d7%93%d7%95%d7%9c%d7%99-%d7%a2%d7%99%d7%a0%d7%99%d7%99%d7%9d/" class="elementor-item has-submenu" role="link" id="sm-1688476465953869-3" aria-haspopup="true" aria-controls="sm-1688476465953869-4" aria-expa...
```

18 Images should have an alternative text Yes 15 0 100%



and the embedded text that the image contains, using the "alt" attribute.

## Successful Elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	20	12	63%

### Successful Elements

```
<span class="sub-arrow" ><i class="fas fa-caret-down" ></i></span>
```

```
<i class="fas fa-caret-down" ></i>
```

```
<i aria-hidden="true" class="fas fa-search"></i>
```

```
<i aria-hidden="true" class="eicon-close" ></i>
```

```
<i aria-hidden="true" class="fas fa-search" ></i>
```

```
<span class="elementor-button-icon elementor-align-icon-left"> <i aria-hidden="true" class="fas fa-phone-alt"></i> </span>
```

```
<i aria-hidden="true" class="fas fa-phone-alt"></i>
```

```
<i aria-hidden="true" class="eicon-chevron-left"></i>
```

```
<i aria-hidden="true" class="eicon-chevron-right"></i>
```

```
<span class="swiper-notification" aria-live="assertive" aria-atomic="true" ></span>
```

## Failed Elements

```
<span class="sub-arrow"><i class="fas fa-caret-down"></i></span>
```

```
<i class="fas fa-caret-down"></i>
```

```
<span class="elementor-divider-separator"> </span>
```

```
<span class="elementor-divider-separator" > </span>
```

```
<span id="elementor-device-mode" class="elementor-screen-only" ></span>
```

```
<svg style="display: none;" class="e-font-icon-svg-symbols" ></svg>
```

---

21	<a href="#">Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.</a>	No	0	13	-
----	--	----	---	----	---

## Failed Elements

```
<figure class="wp-caption"> <a href="https://drfabian.co.il" role="link" > <a href="https://drfabian.co.il/%d7%92%d7%99%d7%93%d7%95%d7%9c%d7%99-%d7%a2%d7%99%d7%a0%d7%99%d7%99%d7%9d/%d7%a1%d7%95%d7%92%d7%99-%d7%92%d7%99%d7%93%d7%95%d7%9c%d7%99-%d7%a2%d7%99%d7%a0%d7%99%d7%99%d7%9d/#uvea..."
```

```
<figure class="elementor-image-box-img"><a href="https://drfabian.co.il/%d7%92%d7%99%d7%93%d7%95%d7%9c%d7%99-%d7%a2%d7%99%d7%a0%d7%99%d7%99%d7%9d/%d7%a1%d7%95%d7%92%d7%99-%d7%92%d7%99%d7%93%d7%95%d7%9c%d7%99-%d7%a2%d7%99%d7%a0%d7%99%d7%99%d7%9d/#chor..."
```



to "none" or "presentation" so they are excluded from screen-readers.

24 Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).

Yes

3

1

75%

### Successful Elements

```
<input size="1" type="text" name="form_fields[name]" id="form-field-name" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="???">
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="???" required="required" aria-required="true">
```

```
<textarea class="elementor-field-textual elementor-field elementor-size-sm" name="form_fields[message]" id="form-field-message" rows="2" placeholder="????"></textarea>
```

### Failed Elements

```
<input placeholder="???? ??" class="elementor-search-form__input" type="search" name="s" title="???" value="">
```

25 Form elements cannot have the same ID, or else their corresponding label will provide false information.

No

0

0

-

26 Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.

No

0

0

-

27 The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and

No

0

0

-

28 [aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.](#)

Yes

4

0

100%

### Successful Elements

```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-1688476465953869-2" role="group" aria-hidden="true" aria-labelledby="sm-1688476465953869-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-ite...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-1688476465953869-4" role="group" aria-hidden="true" aria-labelledby="sm-1688476465953869-3" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-ite...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-16884764659581624-2" role="group" aria-hidden="true" aria-labelledby="sm-16884764659581624-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-i...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-16884764659581624-4" role="group" aria-hidden="true" aria-labelledby="sm-16884764659581624-3" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-i...
```

29 [All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.](#)

Yes

1

1

50%

### Successful Elements

```
<form class="elementor-form" method="post" name="New Form"> <input type="hidden" name="post_id" value="23" > <input type="hidden" name="form_id" value="8bc9865" > <input type="hidden" name="referer_title" value="'???? ???? ,???? ???? ???? ...
```

## Failed Elements

```
<form class="elementor-search-form" role="search" action="https://drfabian.co.il" method="get"> <div class="elementor-search-form_toggle" > <i aria-hidden="true" class="fas fa-search"></i> <span class="elementor-screen-only" >?????</...>
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	Yes	Pass	-	100%
----	---	-----	------	---	------

## Successful Elements

```
<form class="elementor-search-form" role="search" action="https://drfabian.co.il" method="get"> <div class="elementor-search-form_toggle" > <i aria-hidden="true" class="fas fa-search"></i> <span class="elementor-screen-only" >?????</...>
```

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

## Successful Elements

```
<title>05 ?????? | ?????, ????? '???' 5-3167711</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

## Successful Elements

```
<html dir="rtl" lang="he-IL"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="https://gmpg.org/xfn/11"> <meta name="robots" content="index, fo
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

### Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

### Successful Elements

```
<main class="elementor-section elementor-top-section elementor-element elementor-element-12bd31bf elementor-section-boxed elementor-section-height-default elementor-section-height-default" data-id="12bd31bf" data-element_type="section" data-settings=...
```

```
<footer class="elementor-section elementor-top-section elementor-element elementor-element-2722eaa1 elementor-section-height-min-height elementor-section-content-middle elementor-section-boxed elementor-section-height-default elementor-section-items-...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units	Yes	Pass	-	100%
----	--	-----	------	---	------



37 Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.

Yes

65

9

88%

### Successful Elements

```
<span class="pojo-sr-only sr-only">????? ???? ???</span>
```

```
<span class="pojo-a11y-toolbar-text">???? ????</span>
```

```
<span class="pojo-a11y-toolbar-text">???? ????</span>
```

```
<span class="pojo-a11y-toolbar-text">???? ????</span>
```

```
<span class="pojo-a11y-toolbar-text">???? ????</span>
```

```
<span class="pojo-a11y-toolbar-text">???? ????</span>
```

```
<span class="pojo-a11y-toolbar-text">???? ????</span>
```

```
<span class="pojo-a11y-toolbar-text">???? ????</span>
```

```
<span class="pojo-a11y-toolbar-text">???? ????</span>
```

```
<span class="pojo-a11y-toolbar-text">????</span>
```

### Failed Elements

```
<span class="elementor-button-text">055-3167711</span>
```

```
<h4 class="elementor-heading-title elementor-size-default">????? ?????  
??</h4>
```



-----  
announcements.

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	7	0	100%
----	---	-----	---	---	------

### Successful Elements

```
<span class="swiper-pagination-bullet" data-bullet-index="0" aria-label="Go to slide 1" role="button" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bullet-index="1" aria-label="Go to slide 2" role="button" tabindex="0" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="2" aria-label="Go to slide 3" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="3" aria-label="Go to slide 4" role="button" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 2" ></span>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 3" ></span>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
----	--	----	---	---	---

43	If nested tables are used (a table element	No	0	0	-
----	--	----	---	---	---

role attribute to presentation.

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100%

## Successful Elements

```
<iframe title="reCAPTCHA" src="https://www.google.com/recaptcha/api2/anchor?ar=1&k=6LeBQtAfAAAAACWbP4ffgGMWROZjQwhWjF-dtWfg&co=aHR0cHM6Ly9kcmZlYmlhbi5jby5pbDo0NDM.&hl=en&type=v3&v=khH7Ei3klcvfRI74FvDcfuOo&size=invisible&ba...
```